

AK

Notice of Allowability	Application No.	Applicant(s)	
	10/725,985	WORLEGE, DANIEL CHRISTOPHER	
	Examiner	Art Unit	
	ANH PHUNG	2824	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to _____.
2. The allowed claim(s) is/are 1-19.
3. The drawings filed on 20 February 2004 are accepted by the Examiner.
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some* c) None of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.


5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date 7/2/05.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application (PTO-152)
6. Interview Summary (PTO-413),
Paper No./Mail Date _____
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other Search History.



ANH PHUNG
PRIMARY EXAMINER

Detailed Action

1. This Office Action is responsive to the US Patent Application Serial No. 10/725,985 filed on December 2, 2003, claims **1-19** are pending in the application.

Drawings

2. Figure **2** should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Examiner's Statement of Reasons for Allowance

3. Claims **1-19** are allowed.

Amano et al. (US 6,831,857), Engel et al. (US 6,531,723), Inomata et al. (US 6,381,171) and Gallagher et al. (US 6,841,692) disclose a magnetic memory device similar to that of the present application, but fail to teach:

"a magnetic amplifier interacting with the free magnetic layer and comprising two or more magnetic layers with at least one nonmagnetic layer therebetween" as claimed in the independent claims **1** and **18**; or

"providing an easy axis amplifier interacting with the free magnetic layer and comprising two or more magnetic layers with at least one nonmagnetic layer

therebetween; and writing the amplifier to produce a dipole field to switch the device" as claimed in the independent claim 17.

Any comments considered necessary by applicants must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comment on Statement of Reasons for Allowance".

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **ANH PHUNG** whose telephone number is **(571) 272-1883**. The examiner can normally be reached on Monday-Friday from 8:00 AM to 4:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, **RICHARD ELMS**, can be reached on **(571) 272-1869**. The fax phone number for the organization where this application or proceeding is assigned is **(703) 872-9306**.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at **866-217-9197** (toll-free).

Application/Control Number: 10/725,985
Art Unit: 2824

Page 4

Art Unit: 2824

AKP

Anh Phung
ANH PHUNG
PRIMARY EXAMINER